

NORTH CAROLINA ASSOCIATION OF RESCUE & EMERGENCY MEDICAL SERVICES, INC.

P.O. BOX 1914, GOLDSBORO, N.C. 27533-1914 TELEPHONE: 919/736-0506 FAX: 919/736-7759 E-MAIL: ncarems@ncarems.org

CERTIFICATE OF ELIGIBILITY

MEDIUM RESCUE

*** PLEASE PRINT OR TYPE

NAME OF UNIT _____ DATE _____

MAILING ADDRESS _____ ST. ADDRESS _____

CITY _____ STATE _____ ZIP _____ COUNTY _____

UNIT EMAIL ADDRESS _____

EMERGENCY PHONE #() _____ SOCIAL PHONE #() _____ E-MAIL _____

DATE ORGANIZED _____ NON-PROFIT ORGANIZATION { } YES { } NO # OF MEMBERS _____

BUSINESS MEETING NIGHT _____ TRAINING NIGHTS _____

CAPTAIN/CHIEF _____ EMAIL ADDRESS _____

BUSINESS PHONE () _____ HOME PHONE () _____

SECRETARY _____ EMAIL ADDRESS _____

BUSINESS PHONE () _____ HOME PHONE () _____

DOES YOUR SQUAD PROVIDE?

RESCUE ONLY _____ EMS ONLY _____ EMS/FIRE _____ EMS/RESCUE _____ EMS/FIRE/RESCUE _____ FIRE/RESCUE _____

COPY OF STATE CHARTER & CONTRACT

WITH CITY / COUNTY, INDICATING DISTRICT OF AUTHORITY,

MUST ACCOMPANY THIS CERTIFICATE OF ELIGIBILITY

NCAR&EMS, INC.,
REPRESENTATIVE

DATE: _____

APPROVED: _____ YES _____ NO

TO BE SIGNED BY COUNTY OR CITY OFFICIAL

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE,
OPERATING IN:

_____ CITY OR COUNTY

_____ SIGNED

COUNTY OR CITY OFFICIAL

_____ TITLE

(NOTARY SEAL)

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____, 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL DESCRIBED
HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR SHE)
EXECUTED SAME AND THAT THE STATEMENT THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE AND
BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

TO BE SIGNED & NOTARIZED BY DEPARTMENT OFFICIAL

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE:

_____ SIGNATURE, SQUAD OFFICIAL

_____ TITLE

(NOTARY SEAL)

BOTH SIGNATURES ARE REQUIRED

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____, 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL
DESCRIBED HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR
SHE) EXECUTED THE SAME AND THAT THE STATEMENTS THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE
AND BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

MINIMUM STANDARD REQUIREMENTS - NCAR&EMS

MEDIUM RESCUE

MEDIUM RESCUE IS DEFINED AS BASIC AND SOME ADVANCED RESCUE, BASIC AND ADVANCED EXTRICATION, AND BASIC LIFE SUPPORT FUNCTIONS AS AN INITIAL RESPONDER WITH MINIMUM ADVANCED EQUIPMENT AND SKILLS.

1. MINIMUM PERSONNEL / ORGANIZATION REQUIREMENTS:

A MINIMUM OF EIGHT (8) PERSONNEL SHALL BE CERTIFIED AS RESCUE TECHNICIANS OR EQUIVALENT AND MEDICAL RESPONDERS OR HIGHER.

NUMBER OF PERSONNEL WITH CERTIFICATION

(ENTER NUMBER OF PERSONNEL WITH EACH CERTIFICATION)

MEDICAL RESPONDER - #_____ EMT - #_____ EMT-D - #_____

EMT-I - #_____ EMT-P - #_____ RT - #_____ MICN - #_____ NO CERTIFICATION - #_____

A MINIMUM OF EIGHT (8) PERSONNEL SHALL BE CERTIFIED AS RT'S

2. TYPE OF RESCUE TO PERFORM AS SPECIFIED IN THE CONTRACT WITH THE AHJ:

INCLUDED BUT NOT LIMITED TO:

- A. BASIC AND ADVANCED EXTRICATION
 - 1. MOTOR VEHICLE
 - 2. INDUSTRIAL/COMMERCIAL
 - 3. RESIDENTIAL
 - 4. AGRICULTURAL
- B. BASIC/ADVANCED ROPE RESCUE - (RESIDENTIAL ROOF vs MOUNTAIN)
- C. BASIC/ADVANCED LIFTS AND STABILIZATION OF OBJECTS
- D. BASIC/ADVANCED SEARCHES
 - 1. WATER - SHORE BASED RESCUE TECHNIQUES
 - 2. LAND - BASED ON THE ERT STANDARD

3. VEHICLE:

VEHICLE(S) USED FOR MEDIUM RESCUE SHALL BE CAPABLE OF TRANSPORTING RESCUE PERSONNEL AND EQUIPMENT TO AN INCIDENT SAFELY AND CANNOT EXCEED THE VEHICLE'S TOTAL GVWR, INCLUDING THE CHASSIS, BODY, AND RESCUE EQUIPMENT AND MEDICAL CARE EQUIPMENT WHEN LOADED. ALL EQUIPMENT SHALL BE LOADED ON APPARATUS AND RESPONSE READY.

4. MINIMUM REQUIRED EQUIPMENT:

YOU MUST HAVE EACH OF THE FOLLOWING ITEMS TO MEET ELIGIBILITY REQUIREMENTS FOR CERTIFICATION.

A. COMMUNICATIONS EQUIPMENT

- _____ 1 EACH MOBILE RADIO PER VEHICLE
- _____ 6 EACH PORTABLE RADIOS

ALL COMMUNICATIONS EQUIPMENT SHALL HAVE THE CAPABILITY TO COMMUNICATE BETWEEN EMERGENCY AGENCIES OF THE LOCAL JURISDICTION.

B. GENERATOR

- _____ 1 EACH GENERATOR, 5KW, MINIMUM, MOBILE

C. LIGHTING EQUIPMENT

- _____ 6 EACH HANDLIGHTS, PORTABLE, BATTERY POWER OR RECHARGEABLE HANDLIGHTS.
- _____ 1 EACH QUARTZ LIGHTS, PORTABLE OR TRIPOD MOUNTED, TO EQUAL 2000 WATTS. (THIS IS COMBINED WATTAGE)
- _____ 1 EACH TOTAL OF 200 FT., MAY BE DIFFERENT LENGTHS, 12/3 EXT. CORDS
- _____ 2 EACH 12/3 GFCI

D. FIRE PROTECTION EQUIPMENT

- _____ 1 EACH EXTINGUISHER, PORTABLE, 10 LB., ABC TYPE
- _____ 1 EACH EXTINGUISHER, PORTABLE, 10 LB., CO 2 TYPE

E. PROTECTIVE CLOTHING: (MINIMUM OF EIGHT (8) SETS)

- _____ 8 PAIR GLOVES, LEATHER PALM
- _____ 8 PAIR EYE GOGGLES/SAFETY GLASSES
- _____ 8 EACH PROTECTIVE COAT, PROTECTIVE COVERALLS FLAME RESIST. IE. EX. 6.0-7.5 NOMEX
- _____ 8 EACH PROTECTIVE PANTS, PROTECTIVE COVERALLS FLAME RESIST. IE. EX. 6.0-7.5 NOMEX
- _____ 8 PAIR PROTECTIVE FOOT WEAR
- _____ 8 EACH SAFETY RATED HELMET
- _____ 8 EACH HEARING PROTECTION

F. CRIBBING AND STABILIZATION

- _____ 30 EACH BLOCKS, 4"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 10 EACH BLOCKS, 2"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 16 PAIR WEDGES, 4"X4"X18" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 6 EACH BLOCKS, 6"X6"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 2 EACH PER VEHICLE WHEEL CHOCKS
- _____ 4 EACH STEP CRIBBING
- _____ 12 EACH PICKETS 1" X 48" MINIMUM, ROLLED STEEL OR #8 REBAR EQUIVLENT
- _____ 12 EACH PICKETS CAPS/COVERS

G. HIGH LEVEL EQUIPMENT

- _____ 1 EACH ROPE, 1/2 IN., 600 FT., 9000 LB. TENSILE STRENGTH, LOW STRETCH (STATIC KERNMANTLE), MAY BE CUT TO DIFFERENT LENGTHS
- _____ 1 EACH ROPE, 5/8 IN. 300 FT., 13000 LB. TENSILE STRENGTH, LOW STRETCH (STATIC) KERNMANTLE, MAY BE CUT TO DIFFERENT LENGTHS
- _____ 2 EACH 11mm X 165 FT. HIGH STRETCH (DYNAMIC KERNMANTLE/HIGH IMPACT) ROPE
- _____ 4 EACH HARNESS, CLASS II TYPE
- _____ 2 EACH HARNESS, CLASS III TYPE
- _____ 24 EACH STEEL CARABINERS, LOCKING GATE, EXTRA LARGE D TYPE
- _____ 8 EACH DESCENDER, FIGURE 8, WINGED TYPE
- _____ 1 EACH BRAKE BAR
- _____ 1 EACH RIGGING PLATE

- _____ 12 EACH 8-mm PRUSSIK SLINGS, LENGTHS MAY VARY
- _____ 8 EACH, 25 FT X 1/2 IN., BODY CORD, KERNMANTLE
- _____ 8 EACH, 25 FT X 2 IN., TUBULAR WEBBING
- _____ 1 EACH BASKET STRETCHER, STOKES TYPE - WITH ADJUSTABLE BRIDLE-(PREMADE OR MFG)
- _____ 2 EACH DOUBLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- _____ 4 EACH SINGLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- _____ 1 EACH 1/2 IN. SINGLE SHEAVE PULLEY PRUSSIK MINDING
- _____ 4 EACH EDGE ROLLERS/PADS

H. SHORT HANDLE TOOLS

- _____ 2 EACH HAMMER, 4 LB., SLEDGE TYPE, 15 IN. HANDLE
- _____ 1 EACH HAMMER, 22 OZ. CLAW TYPE W/15 IN. HANDLE
- _____ 2 EACH SHOVEL, MILITARY TYPE, FOLDING
- _____ 1 EACH BOLT CUTTERS, 24 IN.
- _____ 1 EACH BOLT CUTTERS, 36 IN.

I. LONG HANDLE TOOLS

- _____ 1 EACH FLAT BAR
- _____ 1 EACH PRY BAR, 15 IN.
- _____ 2 EACH PRY BAR, 51 IN.
- _____ 1 EACH 36 IN. CROWBAR OR HALIGAN TOOL
- _____ 1 EACH HALIGAN BAR SINGLE PIECE TOOL, 36 IN. HANDLE
- _____ 1 EACH 10 FT. PIKE POLE
- _____ 1 EACH HATCHET
- _____ 1 EACH 6 LB. FLAT HEAD AXE
- _____ 1 EACH 6 LB. PICK HEAD AXE
- _____ 1 EACH 8 LB. SLEDGE HAMMER
- _____ 1 EACH LONG HANDLE, ROUND POINT SHOVEL
- _____ 1 EACH LONG HANDLE, SQUARE SHOVEL

J. CUTTING TOOLS

- _____ 4 EACH RIGID FRAME HACKSAWS
- _____ 24 EACH ASSORTED HACK SAW BLADES, 6 PER SAW
- _____ 1 EACH BOW SAW - 24 IN.
- _____ 1 EACH CHAIN SAW, GASOLINE OR ELECTRIC OR HYDRAULIC
- _____ 1 EACH SPARE CHAIN
- _____ 1 EACH RECIPROCATING SAW
- _____ 12 EACH ASSORTED RECIPROCATING SAWBLADES
- _____ 1 EACH BOTTLE OF SPRAY LUBRICATE
- _____ 1 EACH AIR CHISEL - W/ASSORTED BITS, REGULATOR & HOSES

K. TRAFFIC AND CROWD CONTROL AND HAZ-MAT EQUIPMENT

- _____ 6 EACH TRAFFIC CONES OR REFLECTIVE TRIANGLES
- _____ 1 EACH BARRIER TAPE, 2000 FT.
- _____ 8 EACH TRAFFIC VEST, REFLECTIVE TYPE
- _____ 1 EACH INCIDENT COMMAND VEST KIT
- _____ 2 EACH FLASHLIGHT, WITH TRAFFIC WAND, RED OR ORANGE
- _____ 1 EACH PER VEHICLE, BINOCULARS, 7 X 50 mm POWER, WATERPROOF
- _____ 1 EACH PER VEHICLE, D.O.T. EMERGENCY RESPONSE GUIDE BOOK

L. PULLING EQUIPMENT

- _____ 1 EACH WINCH 8000 LB. CAP, TRUCK MOUNTED
- _____ 2 EACH SINGLE SHEAVE SNATCH BLOCKS FOR WINCH
- _____ 2 EACH HANDWINCH, (COME-A-LONG TYPE), 2 TON AND MAY BE CHAIN OR CABLE. IF USING CABLE TYPE IT MUST HAVE SPARE HANDLE. WEBBING TYPE NOT ACCEPTED.

- _____ 2 EACH CHAIN, 3/8 X 6 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 2 EACH CHAIN, 3/8 X 12 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 EACH CHAIN, 3/8 X 20 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 4 EACH CHAIN SHORTENERS, 3/8 IN., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 EACH PORT-A-POWER, 4 TON, RESCUE KIT
- _____ 2 EACH, 48 IN. HIGH LIFT JACKS
- _____ 1 EACH BOTTLE JACK, HYDRAULIC, 10 TON
- _____ 1 EACH HIGH PRESSURE AIRBAG SET 50 TON CAPACITY-W/ACCESSORIES-HOSES, REGULATORS & GUAGES

M. HEAVY HYDRAULIC RESCUE TOOLS

- _____ 1 EACH HYDRAULIC SPREADER
- _____ 1 EACH HYDRAULIC CUTTER
- _____ 1 EACH HYDRAULIC RAM
- _____ 1 EACH POWER UNIT
- _____ 1 EACH BACK-UP POWER UNIT

N. HAND TOOLS - MECHANICS TOOLS (MANUAL & POWER)

- _____ 2 EACH SCREWDRIVERS, STRAIGHT BLADE, 15 IN.
- _____ 4 EACH SCREWDRIVERS, STRAIGHT BLADE, ASSORTED SIZES
- _____ 4 EACH SCREWDRIVERS, PHILLIPS BLADE, ASSORTED SIZES
- _____ 4 EACH CENTERPUNCH, SPRING LOADED
- _____ 1 EACH WRENCH, CRESCENT TYPE, 10 IN.
- _____ 1 EACH PIPEWRENCH, 18 IN.
- _____ 2 EACH BAILING HOOKS
- _____ 1 EACH KNIFE, UTILITY TYPE, HOOKED BLADE
- _____ 1 EACH HAMMER, 2 LB., MACHINIST TYPE
- _____ 1 EACH PLIERS, VISE GRIP TYPE, 6 IN.
- _____ 1 EACH PLIERS, VISE GRIP TYPE, 10 IN.
- _____ 1 EACH PLIERS, SLIP JOINT TYPE, 9 1/2 IN.
- _____ 1 EACH PLIERS, SLIP JOINT TYPE, 16 IN. - CHANNEL LOCK TYPE
- _____ 1 EACH COLD CHISELS, 1/2 IN. X 12 IN.
- _____ 1 EACH COLD CHISELS, 1 IN. X 12 IN.
- _____ 1 EACH TIN SNIPS, DOUBLE ACTION, 8 IN.
- _____ 1 EACH AIR WRENCH - W/HOSES, GUAGES, REGULATOR AND ACCESSORIES
- _____ 1 EACH SOCKET SET, 1/4 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH SOCKET SET, 3/8 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH SOCKET SET, 1/2 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH IMPACT SOCKET SETS - 1/2 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH COMBINATION WRENCH SET, STANDARD & METRIC SETS- STANDARD-1/4 IN. THRU 1 5/8 IN. METRIC, 6 mm THRU 32 mm
- _____ 1 EACH HEX KEY WRENCH SET STANDARD & METRIC 5/64, 3/8 & 1.5 mm, 10 mm
- _____ 1 EACH TORX DRIVERS SET, SOCKET TYPE, SIZES 15 - 45
- _____ 1 EACH ROLL OF ELECTRIC TAPE
- _____ 1 EACH ROLL OF DUCT TAPE

O. MISCELLANEOUS

- _____ 1 EACH RESOURCE BOOK OF LOCAL REGION
- _____ 1 SET OF INCIDENT COMMAND FORMS PER AHJ Download These at:
http://www.nimsonline.com/download_center/index.htm#forms
- _____ 1 EACH ORGANIZATIONAL SOG'S
- _____ 1 EACH COUNTY MAP PER VEHICLE
- _____ 1 EACH N.C. STATE MAP PER VEHICLE
- _____ 1 EACH FIRE RETARDANT BLANKET
- _____ 1 EACH TARP, 8 FT. X 10 FT.
- _____ 2 EACH TARP, 10 FT. X 12 FT.

- _____ 1 EACH GLOBAL POSITIONING SYSTEM (GPS)
- _____ 1 EACH SET OF TOPOGRAPHICAL MAP SET (TO COVER LOCAL REGION)
- _____ 1 OSHA COMPLIANT SAFETY FUEL CAN PER AHJ

P. LADDERS

- _____ 1 EACH LADDER, EXTENSION TYPE, 24 FT. LENGTH, NFPA FIRE SERVICE RATED
- _____ 1 EACH LADDER, 12 FT. NFPA FIRE SERVICE RATED
- _____ 1 EACH LADDER, ATTIC TYPE, 10 FT. LENGTH MINIMUM, NFPA FIRE SERVICE RATED

Q. WATER RESCUE EQUIPMENT:

- _____ 8 EACH PFD, TYPE III, VEST TYPE, U.S. COAST GUARD APPROVED
- _____ 8 EACH WATER RESCUE HELMETS
- _____ 4 EACH ROPE (FLOATING), 3/8 IN. X 50 FT., WATER RESCUE THROW BAGS
- _____ 16 EACH ALUMINUM CARABINERS, NON-LOCKING
- _____ 16 EACH 5 mm X 4 FT. LOW STRETCH (STATIC) UTILITY (2 PER VEST)
- _____ 8 EACH WHISTLES
- _____ 8 EACH WATER RESCUE KNIVES
- _____ 8 EACH HIGH INTENSITY LIGHT (CHEMICAL OR BATTERY OPERATED)
- _____ 1 EACH 18 IN. TYPE IV THROWABLE DEVICE

R. SCBA UNITS

- _____ 4 EACH SELF CONTAINED BREATHING APPARATUS 30 MINUTE DURATION MINIMUM
- _____ 4 EACH SPARE AIR CYLINDERS (COMPATIBLE TO FIT ABOVE MENTIONED SCBA)
- _____ 4 EACH MOTION ALARMS (MAY BE EITHER CLIP ON OR INTEGRALLY MOUNTED)

S. MEDICAL CARE - ALL MEDICAL EQUIPMENT TO BE N.C.O.E.M.S. APPROVED

- _____ 2 EACH SPINE BOARD, 16 IN. X 6 FT. WITH STRAPS X 3
- _____ 1 EACH EXTRICATION DEVICE (K.E.D. TYPE)
- _____ 5 EACH EXTRICATION COLLARS, ASSORTED SIZES
- _____ 2 EACH OXYGEN CYLINDERS
- _____ 2 EACH OXYGEN REGULATORS, 0-15 LPM
- _____ 1 EACH BAG-VALVE MASK, WITH HIGH CONCENTRATION KIT: WITH MASKS FOR INFANT, CHILD AND ADULT
- _____ 2 EACH NON REBREATHING MASKS
- _____ 2 EACH NASAL CANNULAS, INFANT, CHILD AND ADULT
- _____ 1 EACH SUCTION DEVICE, PORTABLE SUCTION UNIT W/RIGID TIP OR SOFT TIP SUCTION CATHETER
- _____ 1 EACH BLANKET, THERMAL
- _____ 1 EACH SPLINT KIT, ASSORTED TO INCLUDE TRACTION SPLINTS
- _____ 1 EACH TRAUMA KIT - PER MEDICAL RESPONDER STANDARDS CRITERIA
- _____ 8 EACH P.P.E. FOR EACH PERSON PROVIDING MEDICAL CARE
- _____ 1 EACH BODY/EXPOSURE BAG